



Golden Sand



Approximate Size (in)	60 x 9
Product Length (in)	60 in
Product Thickness (mm)	5,5 mm
Wear Layer Thinkness (mil)	12 Mil
Including Pad	
Water Protection	Waterproof
Box Per	30 sqft
Box Per	22.5 sqft
Material	Vinyl
Installation Method	Patent Click Unilink
Features	Mark Resistant Non Slip Scratch Resistant Skip Resistant Stain Resistant



Dark Wood



Approximate Size (in)	60 x 9
Product Length (in)	60 in
Product Thickness (mm)	5,5 mm
Wear Layer Thinkness (mil)	12 Mil
Including Pad	
Water Protection	Waterproof
Box Per	30 sqft
Box Per	22.5 sqft
Material	Vinyl
Installation Method	Patent Click Unilink
Features	Mark Resistant Non Slip Scratch Resistant Skip Resistant Stain Resistant





Vanilla Oak



Description

Wear Layer

Pcs /Box

Sq/Ft Per box

Boxes/ Pallet

Sq/ Ft Per Pallet

Flooring Installation

Click System

Edges

5.7mm x 7" x 49" 4.2 Rigid
Core +1.5 mm EV

12 Mill wear layer

11 planks

27.47

65 boxes

1,785.55

Angle Click

Valinge

Painted Bevels





Ash Grey



Description

Wear Layer

Pcs /Box

Sq/Ft Per box

Boxes/ Pallet

Sq/ Ft Per Pallet

Flooring Installation

Click System

Edges

**5.7mm x 7" x 49" 4.2 Rigid
Core +1.5 mm EV**

12 Mill wear layer

11 planks

27.47

65 boxes

1,785.55

Angle Click

Valinge

Painted Bevels





Sand Ash



Description

Wear Layer

Pcs /Box

Sq/Ft Per box

Boxes/ Pallet

Sq/ Ft Per Pallet

Flooring Installation

Click System

Edges

5.7mm x 7" x 49" 4.2 Rigid
Core +1.5 mm EV

12 Mill wear layer

11 planks

27.47

65 boxes

1,785.55

Angle Click

Valinge

Painted Bevels





Mirror Gray



Description

Wear Layer

Pcs /Box

Sq/Ft Per box

Boxes/ Pallet

Sq/ Ft Per Pallet

Flooring Installation

Click System

Edges

5.7mm x 7" x 49" 4.2 Rigid
Core +1.5 mm EV

12 Mill wear layer

11 planks

27.47

65 boxes

1,785.55

Angle Click

Valinge

Painted Bevels

